


Techn. Data: Alabama 28





























Log length (W x D): 355 x 294 cm

Wall size(outside): 335 x 274 cm · Log thickness: 28 mm




Note: All dimensions are approximate !

Specification - Alabama 28 mm


Nr	Description	Profile mm	Lenght mm	Amount
1	Foundation 	□ 45x70	3343	2
2	Foundation 		2643	10
3-1			1057	2
3-2			3553	1
4			3553	16
5			2943	21
6			1087	18
7			1057	32
8			3143	2
9				--
10			--	--
11			--	--
12			3443	2
13	Purlin 		3443	3(2+1)
14	Gable 		3553	2
15	Door ca. 1425 x 1835 mm	 + 		1/2
16	Window ca. 765 x 990 mm	 + 		1/1
17	Roofing felt			--
18	Roof boards	Vers. 1 > 	--	--
		Vers. 2 > 	1960	64+2
19	Floor boards	Vers. 1 > 	--	--
		Vers. 2 > 	3295	25+1
20	Facia boards 	18x115	2000	4
21	Roofing felt fillet	16x35	2000	4
22	Eavesboard	18x90	3443	2
23	Eavesboard	25x36	3443	2
24	Rhomb 			2
25	Baseboard 			ca. 12 m
26	Screws 4,0 x 40; 4,0 x 50			90 / 500
27	Screws 5,0 x 70; 6,0 x 140			15 / 45
28	Storm braces		1900	4
29	M 8 x 60, Nut , Washer			12
30	Nail 1,4 x 35			50
31	Hitblock		300-400	

Alabama 28



Foundation





Groundplan





Alabama 28



A-A



B-B



Alabama 28

